

Tip Sheet for Patients with Pregnancy

Staying Safe When It's Hot Outside

When you are pregnant, you may have a harder time managing if it is hot outside, and heat can be hard on your body. Follow these tips to stay safe and cool.

1. Know when high temperatures outside may put your health at risk.

To get your local forecast, use your phone's weather app or go to <u>weather.com</u> and type your town or zip-code in the search box at the top of the screen. Look for a heat advisory or warning.

Phone weather app



weather.com



Weather alerts will appear in areas outlined in red (including heat advisories and heat warnings)


You can also tune in to your local weather forecast on TV or radio and listen for an announcement of a heat advisory or extreme heat warning.

If you feel hot, even if there is not a heat advisory or heat warning, use the following tips to stay safe.

2. Drink to help your body handle heat. Avoid sugary drinks, alcohol and caffeine in coffee, tea, energy drinks, and some sports drinks that have high amounts of sugar and/or caffeine. Eat light, easy-to-digest foods, such as fruit or salads.

For most people, when your urine is light yellow or clear, you are well hydrated. If your urine is dark, you need to drink more (see chart below). However, if you take diuretics (i.e., water pills), talk with your provider about how much water you should drink when it gets hot outside.

Urine color chart to assess hydration



The colors on this chart should only be used as a guide and not replace advise from a health professional.

Chart adapted from healthdirect.gov.au


Many medicines may affect your body's ability to deal with heat. These include medicines for depression and anxiety (selective serotonin reuptake inhibitors/SSRIs), or antipsychotics such as quetiapine (Seroquel), risperidone (Risperdal),

3. Take your medicines as prescribed unless your provider tells you not to.

SSRIs), or antipsychotics such as quetiapine (Seroquel), risperidone (Risperdal), and olanzapine (Zyprexa), among others. Other medicines, such as for high blood pressure (ACE inhibitors, angiotensin receptor blockers/ARBs, or beta blockers), may also impact your ability to deal with heat, although they are typically not taken during pregnancy. If you are taking any of these, make sure you are following the rest of the tips on this sheet to keep yourself cool and safe.

- 4. Use cool water on your body: take a cool bath or shower or dampen cloths for a sponge bath. Fans can become less effective at cooling you down above 95°F (especially in low humidity settings). However, if you wet your skin with a wet towel or spray bottle while using the fan, they can be a cost-effective way to stay cool.
- 5. Do outdoor activities when temperatures are lower, usually before 11 am or after 6 pm. If you work outdoors, or near a heat source such as a grill, furnace, or boiler, take frequent breaks to rest and rehydrate in a shaded or air-conditioned area, and discuss a heat safety plan with your employer. If you have doctor's appointments, consider scheduling them in the early morning to avoid traveling during the hottest times of day.
- **6. Dress for success.** Wear loose-fitting, lightweight, and light-colored clothing. Wear sunscreen and a hat when you're outside.

- 7. Know where to go to stay cool. If you do not have air conditioning at home, it is too expensive, or the temperature in your home is over 80° F, know where you will go to stay safe when it gets hot outside. This could be a neighbor's home, a place of worship, a community center, a local building designated as a cooling center, or even a shaded area in a local park.
- **8.** Know the signs when your body is telling you it's too hot. See the figure below for what to do if your body is too hot.



Adapted from the National Weather Service and U.S. CDC

Complete a Heat Action Plan before the weather gets hot outside. Ask your provider to review the Heat Action Plan handout at your next appointment.